


# Quest 876

## High-Efficiency Dehumidifier

1.877.420.1330  
www.QuestClimate.com



<b>Unit:</b>	<b>Quest 876 4037600</b>
<b>CFM</b>	1850@0.0"WG
<b>Power (Watts):</b>	5500
<b>Supply voltage:</b>	220-240 VAC - 1 Phase - 60 Hz.
<b>Current Draw (Amps):</b>	24.7
<b>Rated Current Draw (Amps): (104°F 36%)</b>	31.5
<b>Minimum Circuit Ampacity (MCA):</b>	42.5A
<b>Maximum Overcurrent Protection (MOP):</b>	70A
<b>Energy Factor (L/kWh):</b>	3.1
<b>Operating Temp:</b>	56°F Min - 110°F Max
<b>Water Removal (Pints/Day):</b>	876
<b>Efficiency (Pints/kWh):</b>	6.6
<b>Air Filter (MERV-13): (2)</b>	Size: 18" x 20" x 2"
<b>Power Cord:</b>	Cord not provided - Direct wired only
<b>Electrical Knockout Size</b>	3/4" (1.094" opening)
<b>Drain Connection:</b>	3/4 Threaded NPT
<b>Refrigerant Type:</b>	R410A
<b>Refrigerant Amount:</b>	6lbs 4oz

<b>Dimensions:</b>	Unit	Shipping
<b>Width:</b>	28.9"	36"
<b>Height:</b>	33.8"	40"
<b>Length:</b>	44.7"	48"
<b>Weight:</b>	340 lbs	420 lbs

\* requires external control not provided

\* requires buck/boost transformer  
to run on 208V or 277V

